

Safe Gelling

“Gels” used in conservation are solvent-based formulations thickened with a polymer or other material, such as Carbopol or Pemulen, to create a clear, viscous material that holds the cleaning agents on the surface of the object, allowing controlled solvent release. Other active ingredients can be added to alter its working properties including emulsifiers (i.e., Ethomeen), enzymes, or chelating agents. There are many benefits of using gel systems, such as increased solvent retention on the surface, more controlled application and penetration, cleaning selectivity, and reduced solvent waste. The reduced amount of solvent required in a gel-based application versus a free solvent application suggests that there may also be health and safety benefits.

A simple experiment was conducted to determine how much the gel formulation slows solvent evaporation, a property of the gel system that would further reduce solvent exposure for the conservator. The choice and amount of solvent and gelling medium will affect rate of evaporation, but in a simple test with acetone, a Carbopol-based gel significantly decreased the evaporation rate of the solvent. For this test, the time for half of the amount of acetone (by weight) to evaporate from an open container was found to be approximately three times faster than the same amount of acetone contained in the Carbopol gel. While more in-depth experimentation would give a broader sense of how gels affect evaporation rates, this experiment does provide an indication of how much gels can reduce solvent evaporation rate, resulting in less exposure over time.

It should be noted that while using solvent gels potentially reduces solvent exposure, they also introduce additional materials that pose their own health hazards for the conservator. It is important to consider the safety issues associated with the gel components or pre-made gels; this information is readily available in the Safety Data Sheet (SDS) for a given material.

Carbopol polymers are lightly cross-linked polyacrylic acids with different poly alkenyl polyether bridges or cross-links that combine with common bases to make clear, viscous gels (Wolbers and Stavroudis 2012). Carbopol 934, 940, 941, and EZ-4 are common thickeners used to make conservation gels. As powders, respiratory irritation and inhalation toxicity are of concern, so careful and cautious handling will prevent aerosolization. Carbopols may form a combustible (explosive) dust air mixture, so be sure to handle in small amounts; do not let dust accumulate; minimize dust when vacuuming a dry spill or emptying a container; and keep storage containers tightly closed between use. Keep powders away from heat, sparks, open flames, or hot surfaces.

Ethomeen C-25 and Ethomeen C-12 (both tertiary amine ethoxylates) are polymeric emulsifiers that function as weak basic detergents and form links with Carbopol to help form the gel (Stulik, et al 2004). Ethomeen C-25 is designated with a category 4 acute oral toxicity hazard and a category 1 serious eye damage hazard. Ethomeen C-12 can cause severe skin burns, eye damage, and other health issues if not properly handled with appropriate personal protective equipment (PPE).

Pemulen TR-1 and TR-2 are polymeric emulsifiers (high molecular weight copolymers of acrylic acid and a hydrophobic comonomer) that act as the gelling agents. They may be harmful if inhaled and cause eye irritation. Although Pemulen TR-1 and

TR-2 are chemically stable and the powder has a low dust explosion risk, it would be wise to handle in small amounts and minimize dust when vacuuming a dry spill or emptying a container.

Although the experiment demonstrates that the use of gels slows evaporation, thus presenting less inhalation concern than using free solvents, gels should not replace prudent health and safety practices. Gels reduce the amount of solvent exposure in a given time, but the conservator will still be exposed during the duration of their use, therefore proper ventilation and PPE should still be used. Gelling polymers can be very specifically sensitive to solvent choice, and their longer contact time with a treatable surface requires adjustment in solvent mixture and treatment technique. The conservator should also consider using less toxic solvent alternatives, when possible. Always consult the Safety Data Sheets for any chemical that you are using.

—*Miranda Dunn, student member of the AIC Health and Safety Committee, Winterthur/University of Delaware Program in Art Conservation, and other members of the AIC Health and Safety Committee*

REFERENCES

Stulik, D., Miller, D., Khanjian, H., Khandekar, N., Wolbers, R., Carlson, J. and Petersen, W C. 2004. Solvent Gels for the Cleaning of Works of Art: the Residue Question. Marina del Rey, CA: Getty Conservation Institute.

Wolbers, R. and Stavroudis, C. 2012. “Aqueous methods for the cleaning of paintings.” In Conservation of Easel Paintings, Stoner, J H. and Rushfield, R (eds). London: Routledge Taylor and Francis Group, 501-523.

Safety Data Sheet, US. Lubrizol. Carbopol® 934 NF Polymer. Revised 10/14/2014

Safety Data Sheet, US. Noveon Inc. PEMULEN*TR-2 Polymeric emulsion. Revised 6/18/2004

Safety Data Sheet, US. The Personal Formulator. Pemulen TR-1. Revised 1/1/2014

Safety Data Sheet. Kremer Pigmente. Ethomeen® C 25. Revised 1/24/2012

Safety Data Sheet. Kremer Pigmente. Ethomeen® C 12. Revised 4/15/2014

Wearing Masks During Pregnancy

Researchers from the National Institute for Occupational Safety and Health (NIOSH) participated in three studies that provide information on wearing an N95 toxic dust mask during pregnancy, as cited below. In two studies, 22 healthy non-smoking pregnant women and 22 non-smoking non-pregnant women had physiological and subjective measurements taken with and without wearing an N95 mask during exercise and postural sedentary activities over a one-hour period.

The studies show that the effects of wearing N95 masks are mild (average of one breath-per-minute decrease in the breathing rate, two beats-per-minute increase in heart rate, 1 – 7 mm Hg increase in diastolic blood pressure and 1- 2 mm increase in mean arterial pressure). These measurements were the same for both pregnant and non-pregnant women.

More importantly, wearing an N95 mask for one hour by healthy pregnant women was not found to have an effect on



HOLLINGER METAL EDGE

Archival Storage Materials

The Choice for Archival Storage Solutions



THE QUALITY SOURCE

hollingermetalede.com

1•800•862•2228 or 1•800•634•0491

Collect Your Data . . . Without Opening the Case!



Via Wireless:

- Temperature
- Humidity
- LAN Connected
- Auto Download
- Remote Monitoring
- E-Mail Notification
- Web Display

Via Network:



"Walk-By" Wireless
Data Collector



Automated
Error-free
Record Keeping

Data Loggers from TANDD

TandD US, LLC.

Email: inquiries@tandd.com Ph: (518) 669-9227 www.tandd.com

the fetal heart rate. And similar effects would be expected when pregnant women wear medical or surgical masks which usually provide less breathing stress than an N95 mask.

STUDY LIMITATIONS

The data is encouraging for women who need to work during pregnancy. But these tests were only an hour in duration, involved a relatively small number of test subjects, the only fetal effect monitored was heart rate and the women were all healthy. The results should not be extrapolated to 8-hour workdays or to work involving additional stress factors.

The studies also did not consider the contaminant that women are using masks to avoid. For example, potential exposure to lead dust at any level is not appropriate for pregnant women. Also, these tests were for masks that do not filter out solvent vapors. Exposures to highly toxic chemicals or pathogens that are known to cause reproductive or fetal damage should be avoided as completely as possible during pregnancy. Sometimes this means working with safer materials during pregnancy or ceasing work temporarily. Pregnancy is a time to remove as many risks as possible from daily living.

Kim J-H, Roberge RJ, Powell JB. [2015]. Effect of External Airflow Resistive Load on Postural and Exercise-associated Cardiovascular and Pulmonary Responses in Pregnancy. *BMC Pregnancy and Childbirth* 2015, 15:45-52.

Roberge RJ, Kim J-H, Powell JB. [2014] N95 Respirator Use During Advanced Pregnancy. *American Journal of Infection Control*

42: 1097-1100.

Roberge RJ, Kim J-H, Benson SM. [2012] Absence of Consequential Changes in Physiological, Thermal and Subjective Responses from Wearing a Surgical Mask. *Respiratory Physiology & Neurobiology* 181: 29-35.

—Reprinted in part from ACTS FACTS, Sept. 2015 (29:09),
Monona Rossol

Questions about health and safety? Contact us at
HealthandSafety@conservation-us.org

New Materials & Research

NCPTT Launches a Building Stone Database

The National Park Service announced the launch of a new website with information about the stones that built America, at <http://www.ncptt.nps.gov/buildingstone>.

The website, named the “National Building Stone Database,” is part of an ongoing effort to document important quarries and the stone they produce. “The database is intended as a tool for the historic preservation community to use in identifying matches for stone used to repair historic buildings and monuments,” said Kirk Cordell, Executive Director of the National Center for Preservation Technology and Training (NCPTT) where physical samples are housed. Cordell stated that “The stone has to have physical properties that are similar to adjacent historic material. That’s why we’ve spent so much time documenting physical test results and creating

PROTECTING THE PAST

Safeguard the past well into the future with our full line of **ARCHIVAL STORAGE ESSENTIALS.**



Take advantage of our expertise in preservation to fortify all of your historical records, newspapers, photographs and collections. We offer a broad range of quality materials and carefully crafted designs to suit your every need.



1 | Document Cases 2 | Microfilm Boxes
3 | Record Storage Cartons 4 | Envelopes



Gaylord
Your Trusted Source®

CALL: 1-800-448-6160 | FAX: 1-800-272-3412 | WEB: GAYLORD.COM

Request your **FREE 2011 Archival Catalog** to see our full line of products or visit our **NEW DIGITAL CATALOG** at Gaylord.com/2011ArchivalCatalog.